


VeriVide



See in Truth



New Fixed Angle Table

Magnetic attraction

Leaves your hands free to adjust the greyscale



Fastness grading has played a critical role in textile testing for over 50 years. Users of conventional grading equipment often struggle to hold the sample and grading mask while simultaneously trying to adjust the greyscale. This can sometimes lead to less accurate judgements.

The VeriVide solution is simple but remarkably effective. Our magnetic grading mask holds the sample in place and masks off the assessment area. This leaves hands completely free to adjust the greyscale.

The new Fixed Angle Table has now been added to the VeriVide product range and is available for immediate delivery.

[See over for full product details](#) →



Optional:

“The magnetic grading mask improves concentration and helps produce more accurate judgements, because the grader no longer has to do three things at once.”

Retail Laboratory Manager



New Fixed Angle Table

The new Fixed Angle Table maintains the fixed 45° angle required by a wide range of national and international standards, including:

- AATCC Evaluation procedures 1, 2 + 9 (Table Only)
- BS EN and ISO – Textiles - Tests for Colour Fastness (105-A02 105-A03)
- ISO 3668 Paints and Varnishes:
Visual Comparison of the Colour of Paints
- ASTM D1729 : Artificial Daylight for the Assessment of Colour:
Part 1 Illuminant for colour matching and colour appraisal
- UK Retailer Testing Standards including:
M&S - Colour Fastness Test Methods
Next - Test Methods for Colour Fastness and Durability


It is lighter, easier to move and more durable than previous models, and its steel construction allows magnets to be used. Each Fixed Angle Table comes with four matt black magnets - two high strength, two low strength - to hold samples in place across the viewing surface.

Rubber feet ensure that the interior of the light cabinet is not damaged when positioning the table.

The VeriVide Fixed Angle Table is available in paint colours N5, N7 or 5574. Paint application is controlled to extremely strict tolerances.

Optional:

The magnetic grading mask has two aperture sizes (matching those of existing non-magnetic masks) and the raised tabs at each end of the mask allow for easy lifting.



Dimensions

Overall: 235mm tall x 210mm deep x 610mm wide

Viewing platform: 610mm wide x 275mm tall

Features and benefits

Metal	More durable, allows for the use of magnets
2 sizes/strengths of magnet	Ability to hold samples in position without using hands
Paint finish: choice of N5, N7 or 5574	Painted to comply with specific standards
Light weight	Easy to manoeuvre
Fixed shelf	Samples mounted on card are held in place
Rubber feet	Prevent damage to the cabinet interior when sliding across the base.
Optional Magnetic grading mask	Functions as a fastness grading mask while holding the sample in place. Hands are completely free to adjust the fastness grey scale.